Sereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents,

Washington, D.C. 20231 on June 5, 200/

Patent Application Docket No. UMT-101X Serial No.09/775,386

Kyle, Patent Attorney

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit

2877 レ

Applicant

Michael D. DeGrandpre

Serial No.:

09/775,386

Filed

January 31, 2001

For

Calibration-Free Optical Chemical Sensors

Commissioner for Patents Washington, D.C. 20231

> **INFORMATION DISCLOSURE STATEMENT** UNDER 37 CFR §§ 1.97 AND 1.98

Sir:

In accordance with 37 CFR §1.56, the references used on the being brought to the attention of the Examiner for consideration in connection with the examination of the above-identified patent application. Copies of the cited documents are enclosed. PECEIVEE Applicant respectfully asserts that the substantive provisions of 37 CFR §§ 1.97 Add 1.98 2001

ean Kyle

Patent Attorney

Registration No. 36,987

Phone No.: (406) 375-1317 Address: P. O. Box 2274

Hamilton, MT 59840-4274

Enclosures: Form PTO-1449; copies of listed references

11_0